

<b>Date</b>	<b>PH*</b> <b>(s.u.)</b>	<b>Temperature</b> <b>(Degrees C at 1m)</b>	<b>Dissolved Oxygen</b> <b>@1m (mg/L)</b>	<b>Transparency*</b> <b>(m)</b>
1/3/2023	8.3	12	10.1	0.71
1/10/2023	8.4	12.1	11.3	0.5
1/17/2023	8.5	12.7	10.2	0.6
1/23/2023	8.5	11.7	11.7	0.69
1/30/2023	8.3	11.6	10.6	0.58
2/6/2023	8.4	12.5	0.5	0.75
2/13/2023	8.2	12.8	10.3	0.6
2/21/2023	8	13.7	11.7	0.8
2/27/2023	8.1	13	10.5	0.7
3/6/2023	8.2	13.8	11.4	0.9
3/13/2023	8.1	14.3	9.2	0.5
3/20/2023	8.3	12.4	10.3	0.15
3/27/2023	7.5	12.8	10.1	0.15
4/3/2023	7.8	13.8	9.6	0.4
4/10/2023	7.9	14.7	10.2	0.51
4/17/2023	8.4	15.4	9	0.6
4/24/2023	8.7	21.2	11.6	0.9
5/1/2023	8.7	22	9.6	0.95
5/9/2023	8.6	21.7	11.1	0.76
5/15/2023	8.1	24.3	10.5	1.2
5/24/2023	8	25.8	8.5	0.7
5/30/2023	7.6	25.4	5.6	1.13
6/5/2023	8	25.2	5	1.55
6/12/2023	7.9	25.3	5.9	0.9
6/19/2023	8.2	26.4	8.6	0.9
6/26/2023	8.2	27.1	10.4	1.3
7/3/2023	8	28.4	8.2	1.2
7/10/2023	7.9	30	7.9	0.76
7/17/2023	8.1	30.1	4	1.12
7/24/2023	8.2	31.4	6.7	0.9
7/31/2023	8.2	31.4	6.3	0.66
8/7/2023	8.1	30.6	5.7	1.07
8/14/2023	8.2	30.4	6	0.86
8/21/2023	8.1	28.6	5.4	0.69
8/28/2023	8.3	30.1	6	0.85
9/5/2023	8.1	29.2	7	0.71
9/11/2023	8.2	29.3	7	0.85
9/18/2023	8.2	27.8	5.7	0.85
9/25/2023	8.4	26	8.2	0.8
10/3/2023	8.2	24.6	7.3	0.76
10/9/2023	8.4	25.1	8.6	0.7
10/16/2023	8.4	23.9	7.8	0.7

10/23/2023	8.7	23.8	9	0.7
10/30/2023	8.8	22.6	8.5	0.56
11/6/2023	8.8	19.2	9.4	0.7
11/13/2023	8.7	18.6	8.6	0.64
/11/20/2023	8.4	18.5	8.2	0.7
11/27/2023	8.6	16.3	8.3	0.6
12/4/2023	8.5	15.1	11.1	0.6
12/11/2023	8.8	14	9.9	0.55
12/18/2023	8.6	13.6	10	0.6
12/27/2023	8.5	13.4	11.2	0.6

<b>Annual Average</b>	8.28	20.88	8.57	0.75
-----------------------	------	-------	------	------

\* Result is an average.