



**Tempe Fire Medical Rescue Department**  
**Fire Prevention Division**  
**Hazardous Material Inventory Statement**  
REF. 2012 International Fire Code Section 5001.5.2



**INSTRUCTIONS FOR COMPLETION OF**  
**HAZARDOUS MATERIALS INVENTORY STATEMENT (HMIS)**

Type or legibly print out all available information. Each item corresponds to the Hazardous Materials Inventory Statement (HMIS). Most of the requested information can be found on the Material Safety Data Sheet (MSDS) for the applicable material.

**This form will not be accepted without all fields being completed including a signature**

**Business Name:** Enter the name of the business occupying the structure for which the inventory is being submitted.

**Address:** Enter the complete physical street address of the business occupying the site for which the inventory is being submitted.

**Bldg. #:** Enter the building and/or suite number(s)

**AFES:** Indicate if the building is equipped throughout with an automatic fire extinguishing system (Fire Sprinkler system).

**Area/Density:** Enter the area and density of the fire sprinkler system if applicable. This information can be found on the hydraulic calculation plate on the main fire sprinkler riser. (Example .20gpm/3000sqft.).

**Storage Height:** Enter the maximum storage height of hazardous material inside or outside the structure.

**Pallets:** Indicate if hazardous materials are stored on pallets.

**Type:** If pallets are used, indicate if they are constructed of wood (W) or Plastic (P).

**Racks:** Indicate if hazardous materials are being stored in racks.

**Control Area:** A control area is defined as spaces within a building or outside a building where hazardous materials are stored, dispensed, used or handled that do not exceed the maximum allowable quantities. Enter the control area location. (Each control area requires a separate HMIS).

**Location on Site:** Enter the exact location of hazardous materials on site both inside and outside the building.

**Electronic Reporting:** Leave blank for Fire Dept. use only. The Fire Plan Reviewer will determine if electronic reporting is required in addition to the HMIS submittal.

**Chemical Name and Concentration:** List each material by its chemical name. If material is a mixture, list brand name and include a manufacturer specific Material Safety Data Sheet (MSDS).

**CAS #:** Enter the Chemical Abstract Service (CAS) number for the material. For mixtures, enter "mixture" and include the percentage of each material.



**Tempe Fire Medical Rescue Department**  
**Fire Prevention Division**  
**Hazardous Material Inventory Statement**  
REF. 2012 International Fire Code Section 5001.5.2



**Use Amount (Open/Closed):** “Use” is defined as placing a hazardous material into action including solids, liquids, and gases. Enter the use amount in the appropriate field for the following:

- **Use (Open System):** If use of a solid or liquid hazardous material in a vessel/system is continuously open to the atmosphere during normal operations and where the vapors are liberated or the product is exposed to the atmosphere during normal operations, for example, plating tanks or parts washers.
- **Use (Closed System):** If vapors are not emitted outside the vessel/system during normal operations and if the product is not exposed to the atmosphere during normal operations and all uses of compressed gases, for example fuel transfer and medical gas piping.

**Storage Amount:** Enter the maximum total quantity stored at one time. This does not include the amount that is in use.

**Outdoor Amount:** Enter the total amount of hazardous materials outside the building, both in storage and in use.

**Hazard:** Enter the Hazard Classification if the material has a physical and/or a health hazard. List all that apply using the **number code** found in the table below.

**Physical Hazards**

- |  |                                  |
|--|----------------------------------|
| 1. Combustible liquid, Class II              | 21. Oxidizer, Class 1            |
| 2. Combustible liquid, Class III-A           | 22. Oxidizer, Class 2            |
| 3. Combustible liquid, Class III-B           | 23. Oxidizer, Class 3            |
| 4. Combustible fiber                         | 24. Oxidizer, Class 4            |
| 5. Cryogenic, flammable                      | 25. Oxidizing gas, gaseous       |
| 6. Consumer fireworks (Class C – 1.4G)       | 26. Oxidizing gas, liquefied     |
| 7. Cryogenic, oxidizing                      | 27. Pyrophoric                   |
| 8. Explosives                                | 28. Unstable (reactive), Class 1 |
| 9. Flammable gas                             | 29. Unstable (reactive), Class 2 |
| 10. Flammable liquid, 1-A                    | 30. Unstable (reactive), Class 3 |
| 11. Flammable liquid, 1-B                    | 31. Unstable (reactive), Class 4 |
| 12. Flammable liquid, 1-C                    | 32. Water reactive, Class 1      |
| 13. Combination flammable liquid             | 33. Water reactive, Class 2      |
| 14. Flammable solid                          | 34. Water reactive, Class 3      |
| 15. Organic peroxide, unclassified detonable |                                  |
| 16. Organic peroxide, Class 1                |                                  |
| 17. Organic peroxide, Class 2                |                                  |
| 18. Organic peroxide, Class 3                |                                  |
| 19. Organic peroxide, Class 4                |                                  |
| 20. Organic peroxide, Class 5                |                                  |

**Health Hazards**

- 35. Corrosives
- 36. Highly toxics
- 37. Toxics



**Tempe Fire Medical Rescue Department**  
**Fire Prevention Division**  
**Hazardous Material Inventory Statement**  
REF. 2012 International Fire Code Section 5001.5.2



**Physical State:** Indicate the physical state by entering whether the material is solid (**S**), liquid (**L**), or gaseous (**G**). Include all that apply.

**NFPA 704:** Provide the numbered hazard values by entering (**0-4**) for each hazard presented by the material corresponding to the NFPA 704 hazard diamond; (H) health, (F) fire, (R), reactivity, and (SP) special hazards present.

**DOT ID:** Enter the four digit hazard class number for the material.

**Storage Type:** Enter the type of container material is primarily stored in. List all that apply using the **letter code** found in the table below.

- |  |                                   |
|--|-----------------------------------|
| <b>A.</b> Above-ground tank            | <b>I.</b> Bag                     |
| <b>B.</b> Below-ground tank            | <b>J.</b> Box                     |
| <b>C.</b> Steel drum                   | <b>K.</b> Cylinder                |
| <b>D.</b> Plastic or non-metallic drum | <b>L.</b> Glass bottles or jugs   |
| <b>E.</b> Can                          | <b>M.</b> Plastic bottles or jugs |
| <b>F.</b> Carboy                       | <b>N.</b> Tote bin                |
| <b>G.</b> Silo                         | <b>O.</b> Tank wagon              |
| <b>H.</b> Fiber drum                   | <b>P.</b> Other (specify)         |

**Units:** Enter the unit of measurement used for the material (pounds, gallons, cubic feet, etc.)

**Chemical Hazards:** Indicate all hazards presented by the material, both physical: fire (F), pressure (P), reactivity (R), and then enter effect(s), either; acute (A), or chronic (C).



Tempe Fire Medical Rescue Department  
Fire Prevention Division  
Hazardous Material Inventory Statement  
REF. 2012 International Fire Code Section 5001.5.2



**HAZARDOUS MATERIALS INVENTORY STATEMENT (HMIS)**

Business Address: \_\_\_\_\_ Bldg/Ste: \_\_\_\_\_  
Business Name: \_\_\_\_\_ Phone # \_\_\_\_\_  
Business Owner Name: \_\_\_\_\_ Phone # \_\_\_\_\_  
Business Responsible Party: \_\_\_\_\_ Phone # \_\_\_\_\_

**INDICATE ALL EQUIPMENT AND/OR PROCESSES**

- |   |  |  |  |
|---|--|--|--|
| <input type="checkbox"/> Hydraulic Equipment  | <input type="checkbox"/> Dust Collectors | <input type="checkbox"/> Drying Rooms      | <input type="checkbox"/> Fiberglass Ops.   |
| <input type="checkbox"/> Indust/Medical Gas   | <input type="checkbox"/> Electro Plating | <input type="checkbox"/> Flow Coaters      | <input type="checkbox"/> Dry Cleaning      |
| <input type="checkbox"/> Picking or Garneting | <input type="checkbox"/> Spray Painting  | <input type="checkbox"/> Dip Tanks         | <input type="checkbox"/> Aboveground Tanks |
| <input type="checkbox"/> Magnesium Processing | <input type="checkbox"/> Ovens, Process  | <input type="checkbox"/> Baler or Shredder | <input type="checkbox"/> Underground Tanks |
| <input type="checkbox"/> Molten Salt Baths    | <input type="checkbox"/> Welding/Cutting | <input type="checkbox"/> Others            | <input type="checkbox"/> Other             |

- This facility does not contain any hazardous materials as defined in Chapter 50 of the International Fire Code.
- List all hazardous materials on Page 5 and additional pages, if necessary, for storage and use, using the unit of measure indicated in the Instructions for Completion.
- Classify all materials for their physical and health hazards. Please print and use additional pages as necessary.
- Submit a current M.S.D.S. for each material listed.
- Submit a site map indicating the locations of all hazardous materials in storage and use.
- Changes in materials, quantities or processes shall be reported to the Tempe Fire Medical Rescue Department prior to implementation.

**I CERTIFY THAT THE INFORMATION CONTAINED IN THIS REPORT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I UNDERSTAND THAT ANY FALSE STATEMENTS OR MISREPRESENTATIONS MAY RESULT IN THE REVOCATION OF MY CERTIFICATE OF OCCUPANCY, AND/OR CRIMINAL PROSECUTION. VIOLATIONS OF STATUTES AND REGULATIONS PERTAINING TO THE USE, HANDLING AND DISPOSAL OF HAZARDOUS SUBSTANCES MAY RESULT IN CRIMINAL AND/OR CIVIL PROSECUTION. (A.R.S. & 49-261, 262, 263 & 49-923, 924, 925.)**

\_\_\_\_\_  
Owner or Responsible Party

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date



**Tempe Fire Medical Rescue Department  
 Fire Prevention Division  
 Hazardous Material Inventory Statement**



**Business:** \_\_\_\_\_ **Address:** \_\_\_\_\_ **Bldg/Ste:** \_\_\_\_\_

**AFES:** Y / N **Design Density:** \_\_\_\_\_ / \_\_\_\_\_ **Storage Height:** \_\_\_\_\_ **On Pallets:** Y / N **Type:** W / P **Storage Racks:** Y / N

**Control Area:** \_\_\_\_\_ **Location on Site:** \_\_\_\_\_ **Electronic Reporting:** Y / N

#	Chemical Name/Mixture	CAS#	Use Amount Open/Closed	Storage Amount	Outside Amount	Hazard Physical/Health	Physical State	NFPA 704	H	F	R	SP	DOT ID	Storage Type	Units	Chemical Hazard