

TEMPE TOWN LAKE WATER QUALITY 2008

Read Date 2008	Temperature (F)	pH	Transparency (inches)	Dissolved Oxygen (mg/L)
1/8/08	52.2 F	8.9	26.4"	15.3
1/14/08	53.1 F	8.8	21.7"	15.2
1/21/08	50.9 F	8.6	24.4"	12.7
1/28/08	55.0 F	8.4	n/a	9.4
2/4/08	50.5 F	8.1	n/a	11.6
2/11/08	54.3 F	8.5	13.4"	10.6
2/19/08	58.5 F	8.5	n/a	11.6
2/25/08	55.4 F	8.5	22.0"	10.3
3/3/08	55.6 F	8.4	12.6"	9.9
3/10/08	58.5 F	8.4	15.4"	10.1
3/17/08	58.3 F	8.3	15.0"	8.0
3/24/08	64.9 F	9.5	26.8"	13.1
3/31/08	67.1 F	9.1	21.7"	12.1
4/7/08	70.3 F	8.9	19.3"	9.1
4/14/08	68.2 F	9.0	21.3"	9.9
4/21/08	68.7 F	8.9	43.7"	7.7
4/28/08	71.1 F	8.9	30.7"	9.7
5/5/08	73.9 F	8.9	29.9"	10.3
5/12/08	74.3 F	9.0	44.5"	9.1
5/19/08	77.2 F	8.8	80.7"	9.0
5/27/08	73.0 F	8.7	30.3"	10.2
6/2/08	81.1 F	8.9	50.8"	15.0
6/9/08	78.8 F	8.6	44.5"	7.9
6/16/08	84.0 F	8.6	39.0"	8.7
6/23/08	87.1 F	8.7	29.1"	10.4
6/30/08	84.7 F	8.6	26.8"	8.6
7/7/08	86.9 F	8.8	33.5"	6.5
7/14/08	85.5 F	8.8	30.7"	6.6
7/21/08	87.8 F	9.1	42.5"	9.9
7/28/08	87.4 F	8.3	33.1"	7.2
8/4/08	87.4 F	8.9	28.3"	8.4
8/11/08	88.3 F	8.7	29.9"	8.9
8/18/08	86.2 F	9.0	24.4"	6.8
8/25/08	86.9 F	9.3	24.8"	9.1
9/2/08	85.5 F	9.1	23.6"	13.7
9/8/08	85.1 F	9.0	24.4"	7.5
9/15/08	74.3 F	8.5	23.6"	7.9
9/22/08	84.0 F	8.1	24.8"	9.5
9/29/08	80.8 F	8.1	20.9"	6.8
10/6/08	76.6 F	8.1	22.0"	7.1
10/13/08	70.0 F	8.4	19.7"	7.3
10/20/08	71.4 F	8.4	29.1"	10.1
10/27/08	70.2 F	8.5	17.7"	8.4
11/3/08	70.2 F	8.6	23.2"	7.9
11/10/08	64.2 F	8.3	22.0"	7.4
11/17/08	63.1 F	8.5	26.4"	8.3
11/24/08	62.6 F	8.3	28.0"	8.3
12/2/08	63.0 F	8.5	31.1"	11.5
12/8/08	59.7 F	8.4	22.8"	8.7
12/15/08	55.9 F	8.3	24.0"	8.7
12/22/08	55.0 F	8.5	33.9"	10.0
12/29/08	52.5 F	8.5	31.9"	10.5