

TEMPE TOWN LAKE WATER QUALITY 2007

Read Date 2007	Temperature (F)	pH	Transparency (inches)	Dissolved Oxygen (mg/L)
1/2/07	51.8 F	8.8	18.9"	17.2
1/8/07	51.4 F	9.1	17.7"	18.1
1/15/07	50.4 F	9.1	18.5"	19.2
1/22/07	48.4 F	9.2	23.6"	17.4
1/29/07	53.4 F	9.0	35.4"	12.4
2/5/07	55.6 F	9.1	28.7"	19.1
2/14/07	58.3 F	9.4	29.1"	19.0
2/21/07	58.1 F	9.1	24.8"	14.4
2/26/07	60.1 F	9.4	22.4"	18.4
3/5/07	60.1 F	9.3	24.8"	15.0
3/13/07	68.0 F	9.4	30.7"	16.7
3/19/07	69.1 F	9.0	27.6"	12.7
3/26/07	67.8 F	9.2	34.3"	13.2
4/2/07	67.8 F	9.4	24.0"	12.2
4/9/07	71.1 F	8.9	34.3"	10.8
4/17/07	68.4 F	9.0	33.1"	8.7
4/23/07	66.9 F	8.7	31.1"	9.5
4/30/07	75.2 F	9.0	45.3"	9.7
5/7/07	71.2 F	8.8	34.6"	10.1
5/16/07	78.1 F	9.0	20.5"	11.4
5/21/07	78.6 F	9.2	18.9"	10.1
5/29/07	78.8 F	8.9	36.2"	6.0
6/4/07	84.2 F	9.3	27.6"	16.5
6/12/07	79.3 F	9.3	30.7"	10.9
6/18/07	81.7 F	8.9	29.9"	10.4
6/25/07	84.9 F	9.1	31.1"	9.4
7/2/07	86.0 F	8.9	31.5"	7.1
7/9/07	85.8 F	8.6	44.9"	6.3
7/16/07	88.5 F	8.8	37.8"	7.8
7/23/07	87.3 F	8.9	38.6"	7.6
7/30/07	86.7 F	8.5	40.2"	8.2
8/6/07	86.4 F	8.9	38.6"	8.1
8/13/07	89.4 F	8.6	51.2"	8.9
8/20/07	89.1 F	8.7	46.1"	8.0
8/27/07	88.0 F	8.6	44.5"	8.6
9/4/07	86.4 F	8.7	36.2"	8.4
9/10/07	86.2 F	8.6	33.9"	8.4
9/17/07	84.4 F	8.2	32.3"	7.5
9/24/07	79.0 F	8.3	30.3"	7.3
10/1/07	78.6 F	8.2	26.0"	8.1
10/8/07	73.0 F	8.1	22.8"	7.9
10/15/07	73.8 F	8.4	25.2"	8.7
10/22/07	68.9 F	8.6	24.8"	8.4
10/29/07	70.0 F	8.5	20.1"	9.2
11/5/07	69.3 F	8.2	24.4"	8.7
11/13/07	69.8 F	8.5	26.0"	9.0
11/19/07	68.0 F	8.2	34.3"	7.9
11/26/07	61.9 F	8.4	38.6"	8.0
12/3/07	60.1 F	7.8	21.3"	8.1
12/10/07	58.3 F	8.3	26.0"	9.8
12/17/07	53.8 F	7.6	13.4"	9.3
12/26/07	50.9 F	8.2	20.9"	12.0
12/31/07	50.2 F	8.3	30.3"	13.2