

TEMPE TOWN LAKE WATER QUALITY 2005

Read Date 2005	Temperature (F)	pH	Transparency (inches)	Dissolved Oxygen (mg/L)
1/18/05	___ F	7.8	___	___
1/25/05	54.3 F	8.1	5.5"	9.7
2/1/05	52.3 F	7.5	7.9"	10.0
2/8/05	53.8 F	7.8	8.3"	9.6
2/25/05	54.0 F	8.0	3.9"	9.7
3/1/05	56.3 F	7.2	5.1"	9.3
3/8/05	58.1 F	7.5	5.9"	9.1
3/14/05	64.6 F	7.8	8.3"	8.5
3/22/05	62.6 F	8.0	9.4"	8.8
3/29/05	62.6 F	8.2	9.8"	9.4
4/6/05	65.1 F	8.4	18.5"	10.2
4/11/05	66.6 F	8.8	30.3"	13.1
4/18/05	71.8 F	8.9	43.7"	12.7
4/25/05	70.0 F	8.5	66.1"	7.0
5/3/05	72.5 F	8.4	112.2"	7.6
5/9/05	73.4 F	8.5	63.0"	9.3
5/17/05	74.5 F	8.4	61.8"	8.3
5/23/05	80.4 F	8.8	76.8"	9.3
5/31/05	83.1 F	8.4	65.0"	7.5
6/6/05	79.9 F	8.7	70.5"	7.3
6/13/05	81.3 F	8.6	40.2"	7.8
6/20/05	83.1 F	8.7	56.7"	9.1
6/27/05	83.8 F	8.4	32.3"	6.7
7/5/05	87.4 F	8.5	43.7"	7.4
7/11/05	85.8 F	8.8	40.6"	7.0
7/18/05	87.3 F	8.6	31.9"	5.7
7/25/05	88.0 F	8.5	55.9"	6.3
8/2/05	88.9 F	8.5	43.3"	7.9
8/9/05	85.3 F	8.7	35.4"	9.2
8/15/05	85.3 F	8.5	35.4"	9.2
8/22/05	85.6 F	8.8	33.5"	7.7
8/29/05	86.0 F	8.9	39.0"	6.2
9/6/05	86.5 F	8.5	38.2"	6.1
9/12/05	81.7 F	8.5	33.9"	7.0
9/19/05	79.0 F	8.6	31.5"	7.6
9/26/05	83.3 F	8.5	33.9"	12.3
10/3/05	76.1 F	8.7	26.4"	5.9
10/10/05	76.1 F	8.7	26.0"	5.9
10/17/05	73.0 F	8.9	28.3"	6.5
10/24/05	71.6 F	8.9	29.9"	9.0
10/31/05	70.3 F	8.9	28.3"	8.3
11/7/05	67.6 F	9.0	26.8"	8.6
11/15/05	66.2 F	9.1	27.6"	9.8
11/21/05	62.6 F	9.1	24.4"	12.7
11/28/05	55.3 F	9.0	28.7"	15.6
12/5/05	56.8 F	9.1	26.0"	14.2
12/12/05	55.2 F	8.9	28.7"	15.6
12/19/05	53.2 F	9.0	28.0"	12.3
12/27/05	55.4 F	9.0	37.4"	12.9