

TEMPE TOWN LAKE WATER QUALITY 2000

Read Date 2000	Temperature (F)	pH	Transparency (inches)	Dissolved Oxygen (mg/L)
1/6/00	F	8.9	"	.
1/12/00	F	9.0	"	.
1/20/00	F	9.0	"	.
1/27/00	F	8.7	"	.
2/3/00	F	8.1	"	.
2/10/00	F	8.5	"	.
2/17/00	F	8.4	"	.
2/24/00	F	8.5	"	.
3/2/00	F	7.8	"	.
3/9/00	F	7.9	"	.
3/16/00	F	8.3	"	.
3/24/00	F	8.3	"	.
3/30/00	F	8.1	"	.
4/6/00	F	8.2	"	.
4/13/00	F	8.2	"	.
4/20/00	F	8.3	"	.
4/27/00	F	8.6	"	.
5/4/00	F	8.5	"	.
5/11/00	F	8.9	"	.
5/18/00	F	9.4	"	.
5/24/00	F	9.5	"	.
6/1/00	F	9.6	"	.
6/8/00	F	9.6	"	.
6/16/00	F	9.4	"	.
6/22/00	F	9.7	"	.
6/29/00	F	9.1	"	.
7/6/00	F	9.0	"	.
7/13/00	F	8.7	"	.
7/20/00	F	8.7	"	.
7/27/00	F	8.7	"	.
8/3/00	F	8.7	"	.
8/10/00	F	9.0	"	.
8/17/00	F	9.1	"	.
8/24/00	F	9.2	"	.
8/31/00	F	9.2	"	.
9/7/00	F	9.3	"	.
9/14/00	F	9.2	"	.
9/21/00	F	9.1	"	.
9/28/00	F	9.3	"	.
10/5/00	F	9.2	"	.
10/13/00	F	9.4	"	.
10/20/00	F	9.4	"	.
10/26/00	F	9.5	"	.
11/2/00	F	9.4	"	.
11/9/00	F	9.4	"	.
11/16/00	F	9.2	"	.
11/22/00	F	9.2	"	.
11/30/00	F	9.1	"	.
12/8/00	F	8.5	"	.
12/14/00	F	8.4	"	.
12/21/00	F	8.5	"	.
12/28/00	F	8.7	"	.