

Date	pH* (s.u.)	Temperature (Degrees C at 1m)	Dissolved Oxygen @ 1m (mg/L)	Transparency* (m)
1/2/2018	9.16	8.8	13.7	0.67
1/8/2018	9.17	10.2	15.4	0.71
1/15/2018	8.91	10.7	12.1	0.62
1/22/2018	8.94	10.4	10.4	0.58
1/29/2018	9.16	10.6	13.9	0.69
2/5/2018	9.02	11.9	20.3	0.77
2/12/2018	9.10	12.4	16.9	0.65
2/20/2018	8.90	11.6	13.0	0.60
2/26/2018	9.27	10.1	15.3	0.64
3/5/2018	9.15	11.9	17.0	0.55
3/12/2018	9.40	15.3	21.7	0.47
3/19/2018	9.48	17.5	12.8	0.58
3/26/2018	9.46	19.0	15.1	0.54
4/2/2018	9.48	20.9	14.9	0.61
4/9/2018	9.28	21.2	13.2	0.47
4/16/2018	9.28	17.3	10.2	0.52
4/23/2018	9.16	21.8	12.3	0.47
4/30/2018	8.98	20.2	10.2	0.48
5/7/2018	8.90	20.7	8.3	1.04
5/14/2018	9.02	20.7	14.7	0.76
5/21/2018	9.08	20.9	12.7	0.69
5/29/2018	8.80	21.4	9.6	0.80
6/4/2018	8.82	23.5	10.9	1.03
6/11/2018	8.74	23.5	10.5	0.74
6/18/2018	8.72	26.8	9.5	1.01
6/25/2018	8.64	28.2	9.8	1.11
7/2/2018	8.74	28.4	10.1	0.98
7/9/2018	8.72	31.2	9.7	0.93
7/16/2018	8.76	30.0	9.9	0.88
7/23/2018	8.80	31.9	10.6	0.77
7/30/2018	8.74	32.2	10.1	0.83
8/6/2018	8.78	32.5	10.9	0.84
8/13/2018	8.70	29.4	11.3	0.40
8/20/2018	8.96	32.0	10.8	0.94
8/27/2018	9.04	30.5	8.8	0.71
9/4/2018	8.60	29.3	6.3	0.74
9/10/2018	8.72	29.5	7.0	1.01
9/17/2018	8.88	30.4	8.0	0.99
9/24/2018	8.78	21.9	9.7	0.93
10/1/2018	8.88	21.0	8.2	0.64
10/8/2018	8.50	20.8	10.8	0.28
10/15/2018	8.74	21.4	9.5	0.33
10/22/2018	8.60	21.3	11.7	0.44
10/29/2018	8.94	21.6	11.0	0.74

11/5/2018	9.22	19.8	13.3	0.57
11/12/2018	8.48	17.5	12.1	0.55
11/19/2018	8.90	15.4	16.8	0.56
11/26/2018	8.98	15.1	14.6	0.55
12/3/2018	8.64	13.8	15.2	0.52
12/10/2018	8.20	13.4	14.1	0.52
12/17/2018	8.74	12.4	15.9	0.65
12/26/2018	8.70	11.9	12.1	0.54

Annual Average	8.92	20.4	12.2	0.68
----------------	------	------	------	------

* Result is an average